

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/605,520	10/06/2003	Han-Wen Hsu	MTKP0040USA	2519
27765	7590	05/26/2006	EXAMINER	
NORTH AMERICA INTELLECTUAL PROPERTY CORPORATION P.O. BOX 506 MERRIFIELD, VA 22116			WILSON, YOLANDA L	
			ART UNIT	PAPER NUMBER
			2113	

DATE MAILED: 05/26/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No. 10/605,520	Applicant(s) HSU ET AL.	
	Examiner Yolanda L. Wilson	Art Unit 2113	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 06 October 2003.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-26 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-26 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Objections

1. Claim 11 is objected to under 37 CFR 1.75 as being a substantial duplicate of claim 9. When two claims in an application are duplicates or else are so close in content that they both cover the same thing, despite a slight difference in wording, it is proper after allowing one claim to object to the other as being a substantial duplicate of the allowed claim. See MPEP § 706.03(k).
2. Claim 24 is objected to under 37 CFR 1.75 as being a substantial duplicate of claim 22. When two claims in an application are duplicates or else are so close in content that they both cover the same thing, despite a slight difference in wording, it is proper after allowing one claim to object to the other as being a substantial duplicate of the allowed claim. See MPEP § 706.03(k).
3. Claims 1,2,7,20 are objected to because of the following informalities: These claims have spacing issues. The Examiner has corrected them within the rejection as disclosed below. Please correct these issues within Applicant's recitation of these claims. Appropriate correction is required.
4. Claims 1-26 are objected to because of the following informalities: Please check these claims for when the term 'subroutines' is written that it should actually be 'subroutine'. Also check for when the term 'executes' is written that it should actually be 'execute'.

Claim Rejections - 35 USC § 102

5. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

6. Claims 1-rejected under 35 U.S.C. 102(b) as being Gold et al. by (USPN 6058494A). As per claim 1, Gold et al. discloses a method for controlling a hardware circuit with a processor, the processor used for executing a code to control the hardware circuit in column 3, lines 59-62, the code comprising:

a plurality of lower-level subroutines, wherein after the processor executes various lower-level subroutines, the hardware circuit will be controlled to execute various corresponding operations, and each lower-level subroutine will record results, which come from the hardware circuit executing the corresponding operations, in an error code; wherein each result corresponds to a recovery operation in column 4, lines 6-11;

a plurality of higher-level subroutines, each higher-level subroutines used for calling at least a lower-level subroutine to control the hardware circuit to execute operations corresponding to the lower-level subroutine according to the called lower-level subroutine when the processor executes the higher-level subroutine in column 3, line 65 – column 4, line 5; column 9, lines 21-22 and column 10, lines 1-11;

a plurality of recovery subroutines, each recovery subroutine corresponding to a recovery operations for controlling the hardware circuit to execute various

Art Unit: 2113

corresponding recovery operations, after the processor executes various recovery subroutines; and an error-handling subroutine for calling the recovery subroutines according to the error code in column 9, lines 21-22 and column 10, lines 1-11;

the method comprising: after the processor executes the higher-level subroutines, executing the error-handling subroutine to allow the processor to control the hardware circuit to execute the corresponding recovery operations according to the results corresponding to the lower-level subroutines in column 9, lines 21-22 and column 10, lines 1-11.

The tape drive controller is the processor. The lower-level subroutines are the third process and the process disclosed in column 4, lines 9-10. The higher-level subroutines are the first process and the second process. The flags coincide with the error codes generated, which are the flag numbers; therefore, based on the flag/error code, a recovery action is implemented.

7. As per claims 2 and 15, Gold et al. discloses wherein when the processor executes the error-handling subroutine after the higher-level subroutines are executed, the processor will not executes the recovery operations corresponding to the lower-level subroutine until the higher-level subroutines are finished in column 3, line 65 – column 4, line 5 and column 9, lines 21-22 and column 10, lines 1-11.

8. As per claims 3 and 16, Gold et al. discloses wherein the higher-level subroutines won't call each other so that a next higher-level subroutine will not be executed until the processor finishes executing a previous higher-level subroutine in

Art Unit: 2113

column 3, line 65 – column 4, line 5. The second process cannot start until the first process is finished.

9. As per claims 6 and 19, Gold et al. discloses wherein the error code is a global variable of the code; the operation results corresponding to the lower-level subroutines will be recorded in the same error code in column 3, line 65 – column 4, line 5.

10. As per claims 7 and 20, Gold et al. discloses wherein the code further comprises a plurality of next-level subroutines; when the processor executes various next-level subroutines, the hardware circuit is controlled to execute corresponding operations; each next-level subroutines will record operation results corresponding to the hardware circuit in a second error code; each lower-level subroutine is used for calling at least a next-level subroutine so that the processor sequentially executes the next-level subroutines of the lower-level subroutines to control the hardware circuit to execute corresponding operations when executing the lower-level subroutines in column 9, lines 5-13. The next-level subroutines are the process for displaying the error message to the user and the process for identifying the severity of errors in ascending order if more than one error is identified. The second error code is the type, disclosed in column 4, lines 51-56.

11. As per claims 8 and 21, Gold et al. discloses wherein the next-level subroutines of each lower-level subroutine record corresponding operation results in the same second error code in column 9, lines 5-13.

12. As per claims 9 and 11, 22 and 24, Gold et al. discloses wherein the second error code is a column of the error code in column 4, lines 51-56.

Art Unit: 2113

13. As per claims 10 and 23, Gold et al. discloses wherein the next-level subroutines record corresponding operation results in the same second error code in column 9, lines 5-13 and column 4, lines 51-56.

14. As per claims 12 and 25, Gold et al. discloses wherein the lower-level subroutines won't call each other so that a next lower-level subroutine will not be executed until the processor finishes executing a previous lower-level subroutine in column 4, lines 6-11. The sending of the higher level codes will not be done until the third process is finished processing.

15. As per claims 13 and 26, Gold et al. discloses wherein the lower-level subroutines won't call the higher-level subroutines in column 3, line 65 – column 4, line 11. The third process and the subsequent process will not execute until the previous two processes have been executed.

16. As per claim 14, Gold et al. discloses An electronic device in column 3, lines 1-2, comprising: a hardware circuit for achieving operations of the electronic device; a processor for executing a code to control the hardware circuit; a storage device for storing the code in column 3, lines 27-47,59-64;

wherein the code comprising: a plurality of lower-level subroutines, wherein after the processor executes various lower-level subroutines, the hardware circuit will be controlled to execute various corresponding operations, and each lower-level subroutine will record results, which come from the hardware circuit executing the corresponding operations, in an error code; wherein each result corresponds to a recovery operation in column 4, lines 6-11;

a plurality of higher-level subroutines, each higher-level subroutines used for calling at least a lower-level subroutine to control the hardware circuit to execute operations corresponding to the lower-level subroutine according to the called lower-level subroutine when the processor executes the higher-level subroutine in column 3, line 65 – column 4, line 5; column 9, lines 21-22 and column 10, lines 1-11;

a plurality of recovery subroutines, each recovery subroutine corresponding to a recovery operations for controlling the hardware circuit to execute various corresponding recovery operations, after the processor executes various recovery subroutines in column 9, lines 21-22 and column 10, lines 1-11;

and an error-handling subroutine for calling the recovery subroutines according to the error code; wherein after executing the higher-level subroutines, the processor executes the error-handling subroutine to allow the processor to control the hardware circuit to execute the corresponding recovery operations according to the results corresponding to the lower-level subroutines in column 9, lines 21-22 and column 10, lines 1-11.

The tape drive controller is the processor. The lower-level subroutines are the third process and the process disclosed in column 4, lines 9-10. The higher-level subroutines are the first process and the second process. The flags coincide with the error codes generated, which are the flag numbers; therefore, based on the flag/error code, a recovery action is implemented.

Claim Rejections - 35 USC § 103

17. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

18. Claims 4,17, are rejected under 35 U.S.C. 103(a) as being unpatentable over Gold et al. in view of Sim et al. (USPN 6785212B1). As per claim 4, 17, Gold et al. fails to explicitly state wherein the hardware circuit is a servo module of an optical storage drive, the servo module comprising: a motor for driving an optical disk to rotate; and a pick-up head for generating a laser incident on the optical disk.

Sim et al. discloses these limitations in Figure 2; column 3, lines 33-47.

Accordingly, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have the hardware/circuit be a servo module of an optical storage drive, the servo module comprising: a motor for driving an optical disk to rotate; and a pick-up head for generating a laser incident on the optical disk. A person of ordinary skill in the art would have been motivated to have the hardware circuit be a servo module of an optical storage drive, the servo module comprising: a motor for driving an optical disk to rotate; and a pick-up head for generating a laser incident on the optical disk because an optical storage drive and its components read information from an optical disk which is inserted into the optical storage drive.

19. Claims 5,18, are rejected under 35 U.S.C. 103(a) as being unpatentable over Gold et al. in view of Okada et al. (USPN 6530034B1). As per claims 5,18, Gold et al.

Art Unit: 2113

fails to explicitly state wherein the hardware circuit is an interface module of an optical storage drive.

Okada et al. discloses these limitations in Figure 1; column 3, lines 3-5.


Accordingly, it would have been obvious to one of ordinary skill in the art at the time the invention was made to have the hardware circuit be an interface module of an optical storage drive. A person of ordinary skill in the art would have been motivated to have the hardware circuit be an interface module of an optical storage drive the interface module controls when data is accessed on the storage drive. This is disclosed in column 3, lines 21-28.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Yolanda L. Wilson whose telephone number is (571) 272-3653. The examiner can normally be reached on M-F (7:30-4:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Robert Beausoliel can be reached on (571) 272-3645. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2113

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.


Yolanda L Wilson
Examiner
Art Unit 2113